

Web Images Groups News Froogle **more »**[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 6 of 6 for **"helical coordinates" mesh**. (0.26 seconds)

Tip: Try removing quotes from your search to get more results.

Conformational deformability of RNA: a harmonic mode analysis.... a given base pair step and neighboring steps was found for most **helical coordinates**. ... **MeSH**

Terms: Adenine/chemistry; Base Pair Mismatch; Base Sequence; Biophysics; ...

[www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=10777750&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10777750&dopt=Abstract) -[Similar pages](#)[PDF] Dean vortices-induced enhancement of mass transfer through an ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... 3. To ensure **mesh**- and time-step independence of the results, the calculations for the largest value of the Peclet number ( $Pe \ 10^5$ ) were repeated on 100 200 ...[www.eng.tau.ac.il/~gelfgat/documents/Gelfgat\\_Ref24.pdf](http://www.eng.tau.ac.il/~gelfgat/documents/Gelfgat_Ref24.pdf) - [Similar pages](#)[PDF] Comparison of molecular dynamics and harmonic mode calculations on ...

File Format: PDF/Adobe Acrobat

... An 11 Å cutoff for the short-range nonbonded interactions was used in combination with the particle **mesh** Ewald option using a grid spacing of 0.9 Å to ...[doi.wiley.com/10.1002/1097-0282\(200012\)54:7%3C547::AID-BIP70%3E3.0.CO;2-N](http://doi.wiley.com/10.1002/1097-0282(200012)54:7%3C547::AID-BIP70%3E3.0.CO;2-N) - [Similar pages](#)Nucl. Acids. Res. -- Várnai et al. 30 (24): 5398... This approach models DNA using **helical coordinates** to position each nucleotide ... electrostatic interactions were treated using the particle **mesh** Ewald approach ...[nar.oupjournals.org/cgi/content/full/30/24/5398](http://nar.oupjournals.org/cgi/content/full/30/24/5398) - Supplemental Result - [Similar pages](#)[PDF] gkf680 5398..5406File Format: PDF/Adobe Acrobat - [View as HTML](#)... This approach models DNA using **helical coordinates** to position each nucleotide ... electrostatic interactions were treated using the particle **mesh** Ewald approach ...[reo.nii.ac.jp/.../Contents/SUP0000003000/](http://reo.nii.ac.jp/.../Contents/SUP0000003000/)[JOU0003000014/ISS0000013457/ART0000151040/ART0000151040.pdf](http://JOU0003000014/ISS0000013457/ART0000151040/ART0000151040.pdf) - Supplemental Result - [Similar pages](#)Nucl. Acids. Res. -- Várnai et al. 30 (24): 5398... This approach models DNA using **helical coordinates** to position each nucleotide ... electrostatic interactions were treated using the particle **mesh** Ewald approach ...[dx.doi.org/10.1093/nar/gkf680](http://dx.doi.org/10.1093/nar/gkf680) - Supplemental Result - [Similar pages](#)[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)**BEST AVAILABLE COPY**